Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	253	(srinivasan with varadarajan) (khanna with sandeep) (nataraj with bindiganavale) (netlogic with microsystems)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:40
L3	54	(nataraj with bindiganavale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:41
L4	3	"10000122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 13:42
L5	76	365/49,189.01,230.01,189.07, 189.08,191.ccls. and (CAM or (content adj address adj memory)) same ((writ$3 with map$4) or mask$3) same (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:33
L6	51	711/108.ccls. and (CAM or (content adj address adj memory)) same ((writ$3 with map$4) or mask$3) same (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:33
S1	50	data same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same (CAM or (content adj address adj memory)) same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:48
S2	50	data same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same data same (CAM or (content adj address adj memory)) same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:45
S3	14	data same ((writ$3 with map$4) or mask$3) near5 (convert$3 or chang$3) near5 (CAM or (content adj address adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:53

S4	9	(CAM or (content adj address adj memory)) near5 ((writ$3 with map$4) or mask$3) near5 (convert$3 or chang$3) near5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:22
S5	8	(CAM or (content adj address adj memory)) same (connect$3 or coupl$3) same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same (different with pattern$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:58
S6	30	(CAM or (content adj address adj memory)) same (connect$3 or coupl$3) same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same bit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:06
S7	7	(CAM or (content adj address adj memory)) same (connect$3 or coupl$3) same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same bit$1 same (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:01
S8	331	(CAM or (content adj address adj memory)) same ((writ$3 with map$4) or mask$3) same (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 15:01
S9	62	(CAM or (content adj address adj memory)) same (connect$3 or coupl$3) same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same (control$3 with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:03
S10	89	(CAM or (content adj address adj memory)) same ((writ$3 with map$4) or mask$3) same (convert$3 or chang$3) same bit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:11
S11	24	("5,568415" "6,081440" "6,101115" "6,108227" "6,137707" "6,163473" "6,169685" "6,288922" "6,353332" "6,385071" "6,647457" "6,697275").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:18

S12	229	(srinvasan with varadarajan) (khanna with sandeep) (nataraj with bindiganavale) (netlogic with microsystems)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:22
S13	210	S12 and (CAM or (content adj address adj memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:23
S14	60	S13 and ((map$4 or mask$4) with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:26
S15	12	S13 and (map$4 or mask$4) same (constituent with bit$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:38
S16	32	(CAM or (content adj address adj memory)) same map$4 same (convert or change) same bit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 14:56
S18	3	(CAM or (content adj2 addressable adj2 memory)) and (writ$3 with map$4) near5 (convert$3 or chang$3) near5 data$1 near5 bit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:55
S19	716123	(CAM or (content adj2 addressable adj2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:55
S20	1634	S19 and (writ$3 with (map$4 or mask$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:56

S21	1521	S20 and data$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:57
S22	1329	S21 and bit$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:57
S23	863	S22 and (control adj2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:58
S24	155	S23 and (read/write with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:58